! " # $%

FOXWELL is trademark of Shenzhen Foxwell Technology Co., Ltd.
All other marks are trademarks or

< / "=>" ?* # *-" !

! " # $%‰' (# $%) *+, - , . +, / 01, /‰1 34‰+, 6 (78‰1 : ; , /1‰* 76 ; "<! !

73" '0 &' / -" / -%

<EF=>F:G ?.B. F1 @:GG:E > H

A:9F >.E9<GB: .<E I


SAFETY MESSAGE CONVENTIONS USED 4

IMPORTANT SAFETY

!" #$%&'(#$%)*+, -,.+,/ 01,/

!" #$%&'(#$%)*+, -,.+,/ 01,/1 34+,6(78%1: ;,/1*76;"<!!





">
!" #$%&'(#$%)*+, -,.+,/01,/11 34&+,6(78&1: ;,/1&*76;"<!!

"B

!" #$%&'(#$%)*+, -,.+,/ 01,/1 34+,6(78%1: ;,/1*76;"<!!

4	Catalyst Mon	Catalyst Monitor
5	Htd Catalyst	Heated Catalyst Monitor
6	Evap System Mon	Evaporative System Monitor
7	Sec Air System	Secondary Air System Monitor
8	A/C	






Figure 4-32 Sample IM Readin ˇ ¨O s ƻ










Figure 4-35 Sample O2 Monitor Test screen


‹ Use











=

!" #$%&'(#$%)*+, -,.+,/ 01,/1 34+,6(78%1: ;,/1*76;"<!!






Figure 7-1 Sample Home Screen

2. A screen of a list of menu options displays.






MXHXH &' # ("%%*' / .KE G"_5* "! Monitors

In this menu, the operators can configure monitors for compression ignition cars (diesel engines).

To configure spark compression required monitors:

1. Use the **DR1<@E** key to highlight **&' # ("%%*' / .KE G"_5* "! B' /*-'** % from the menu and ess press





!"



Figure 7-19 Sample LCD Test Screen






Figure 8-1 Sample Home Screen

2. A screen with detailed information of the






Figure 9-3 Sample Update

